

**Bhagat Phool Singh Mahila Vishwavidyalaya**  
**Department of Engineering Cell**  
**Khanpur Kalan (Sonapat), Haryana-131305**

Office No. 01263-283007,283530, Fax No. 01263-283779, [www.bpswomenuniversity.ac.in](http://www.bpswomenuniversity.ac.in)

**NOTICE INVITING TENDER**

Sealed tenders as per schedule/DNIT attached are hereby invited on behalf of Registrar in her Office at BPSMV Khanpur Kalan through Registered post/speed post only from the Eligible Contractor enlisted with Haryana PWD (B&R) /CPWD/MES and Labour & Construction Co-operative Societies for the below noted work. If the date on which the tenders are to be received is declared holiday then the tender will be received on the next working day. The tender shall be opened on the same day in the presence of the tenderer or the authorized representative/agents who may like to be present at that time:-

Sr. No.	Name of Work	App. Cost. In Thousand	Completion Time	Date & Time for Receiving of Tender		Date & Time for opening of Tender	
				Date	Time	Date	Time
1.	Tender for Renovation of hostel attendant quarter in Hostel No.-4 at BPSMV Khanpur Kalan (Sonipat)	40800/-	15 days	13.06.2019	1:00 pm	13.06.2019	3:00 pm

1. The limited tender/quotation may be sent in favour of Registrar, BPSMV Khanpur Kalan, in sealed envelop through Registered Post/Speed Post with mentioning tender name in bold letter on the envelop.
2. Engineering –In-Charge is competent to increase/decrease the quantity of work.
3. Central/ State taxes will be deducted as applicable from time to time.

**SDE (Civil)**  
**For Registrar**

A copy of the above is forwarded to the following for information and necessary action:-

1. Notice Board.

**SDE (Civil)**

### DETAILED NOMINCLATURE.

**NAME OF WORK:-** Tender for Renovation of hostel attendant quarter in Hostel No.-4 at BPSMV Khanpur  
Kalan (Sonipat)

**Approx Cost :** Rs. /- 40800/-

**Date of Tender:** 13.06.2019

Sr. No.	Description of items	Qty.	Unit	Rate to be quoted by the agency in words and in figures, FOR including VAT & taxes.	
				In Figure	In Word
1.	Removing door and windows (wood and steel) with chowkats by making Recesses in walls when the wall is not to be dismantled (a) doors. (HSR-8.18 a)	3	Each		
2.	Removing door and windows (wood and steel) with chowkats by making Recesses in walls when the wall is not to be dismantled (a) Window (HSR-8.18 b)	4	Each		
3.	Dismantling wire gauze with frame work including separating frame Frame work and putting wire gauge into rolls. HSR. 8.14	4.46	Sqm.		
4.	Pressed steel sheet frames (chowkats), consisting of 2 mm thick steel sheet of the specified sections, including iron lugs (hold fasts), iron hinges, conforming to P.W.D. specifications, including bolts for fixing stops, locknotch, provision for receiving tower bolts, and finished with one coat of ready-mixed paint red lead non-setting primer, or approved quality, fixed in position including the cost of cement concrete 1:3:6 for filling in the frame and cement concrete 1:3:6 for lugs complete: Door and window frame of size 114 mm X 50 mm with 40 mm wide double rebate. (HSR 18.34 d)	19.13	Rmt.		
5.	Wire gauze fixed on chowkats with 25 mm thick cover moulding of full width of commercial hard wood such as hollock, champ chikrassy and chaplash, etc., (non-coniferous timber, other than team, conforming to I.S specification No. 1003, kiln seasoned) (HSR. 17.33)	4.46	Sqm.		
6.	Factory-manufactured wire gauze door and windows shutters of commercial hard wood such as hollock, champ, chikrassy and chaplash, etc, (non coniferous timber other teak, conforming to I.S. specification no. 1003, kiln seasoned) with 100 mm wide vertical styles, 150 mm wide locak rail 200 mm wide bottom rail and wire gauze of 140 G or 120 G designation including cost of iron hinges, screws, chock/cleats, stops nails etc., complete fixed in position (excluding the cost of any fitting other than	7.58	Sqm.		

	specified above, but including labour for fixing the same in position)- (styles and rails of windows shutter shall be 75 mm wide) (30mm thick) (HSR-17.92)				
7.	Factory- manufactured paneled door or glazed window, shutters of commercial hard wood, such as hollock, champ, chikrassy and chaplash, etc., (non-coniferous timber other than teak, conforming to I.S. specification no. 1003, kiln-seasoned), with 100 mm wide vertical styles, 150 mm wide lock rail 200 mm wide bottom rail and 100 mm wide other rails, with panels of 15 mm thick, tongued and grooved of commercial hard wood and including cost of iron hinges, screws, chocks/cleats, stops, nails etc., complete, fixed in position (excluding the cost of any fittings, other than specified above, but including labour for fixing the same in position)- 35 mm thick (b) Door (HSR -17.90b)	2.25	Sqm.		
8.	Cost of aluminium fitting complete for doors and windows, such as tower bolts, handles, etc., and screws for these fittings (excluding sliding bolt)- a for single lead shutter (HSR-17.72b)	9.83	Sqm.		
9.	Distempering with washable oil bound distemper (of approved manufacture) two coats on old distempered work. (HSR-16.60)	186.95	Sqm.		
10.	Scraping of White wash and colour wash (HSR 8.32 a)	93.48	Sqm.		
11	providing and applying two coats white cement based putty over plastered surface and grinding the surface smooth with sand paper to get an even and smooth finish including cost and carriage of all material, labour charges, scaffolding, sundries etc. complete (J.K./Birla make) (HSR - 16.81)	93.48	Sqm.		
12	Providing two coats of exterior acrylic emulsion paint. (HSR-16.79-b). 1 <sup>st</sup> quality	72.69	Sqm.		
13	Painting two coats with synthetic enamel Paint in all shades on old wood-work or metallic or plastered or concrete surfaces to give an even shade including rubbing down old paint. (HSR-16.5)	158.00	Sqm.		

**SDE (Civil)**

**J.E (Civil)**